

LABORATORY FOR  
COMPUTER SCIENCE

*(formerly Project MAC)*



MASSACHUSETTS  
INSTITUTE OF  
TECHNOLOGY

MIT/LCS/TM-75

$K+1$  HEADS ARE BETTER THAN  $K$

ANDREW C. YAO  
RONALD L. RIVEST

SEPTEMBER 1976

MIT/LCS/TM-75

K+1 HEADS ARE BETTER THAN K

A.C. Yao  
R.L. Rivest

September 1976

Massachusetts Institute of Technology  
Laboratory for Computer Science  
(formerly Project MAC)  
Cambridge, Massachusetts  
02139

# K+1 Heads are Better than K<sup>†</sup>

Andrew C. Yao\* and Ronald L. Rivest\*\*  
Massachusetts Institute of Technology, Cambridge, Mass. 02139  
April 1976

## Abstract:

There are languages which can be recognized by a deterministic (k+1)-headed one-way finite automaton but which cannot be recognized by a k-headed one-way (deterministic or non-deterministic) finite automaton. Furthermore, there is a language accepted by a 2-headed nondeterministic finite automaton which is accepted by no k-headed deterministic finite automaton.

Keywords: multihead finite automata.

---

† This report was prepared with the support of the National Science Foundation grant no. DCR74-12997-A01, National Science Foundation grant no. MCS76-14294, and the Office of Naval Research N00014-76-C-0366.

\* Department of Mathematics and Laboratory for Computer Science.

\*\* Laboratory for Computer Science.

## 1. Introduction and Definitions

We consider the class of languages recognized by  $k$ -headed one-way finite automata ( $k$ -FA's). These devices consist of a finite-state control, a single read-only input tape with an endmarker  $\$,$  and  $k$  one-way reading heads which begin on the first square of the input tape and independently move towards the endmarker under the finite-state control. The language accepted by a  $k$ -FA is precisely the set of words  $x$  such that there is some computation of the  $k$ -FA beginning with  $x\$$  on the input tape and ending with the  $k$ -FA halting in an accepting state. The deterministic variety of  $k$ -FA's will be denoted as  $k$ -DFA's. The notion of a multihead finite automaton was apparently first described by Piatkowski [6], and was soon thereafter extensively studied by Rosenberg [1,7].

We assume that the finite control cannot detect coincidence of the heads. Such a capability increases the class of languages recognized by multi-head automata somewhat. For example, the language  $\{0^n \mid n \geq 1\}$  can be recognized by a 3-DFA which can detect coincidence (this was pointed out to the authors by A.R. Meyer), but cannot be recognized by any  $k$ -FA without this capability [3]. As it turns out, however, our proof that  $k+1$  heads are more powerful than  $k$  heads holds even if the devices are allowed to detect coincidence.

Let  $R_k$  (respectively  $R_k^D$ ) denote the class of languages recognized by  $k$ -FA's (respectively,  $k$ -DFA's). It is well-known that  $R_1 = R_1^D$ , and easy to see that  $R_1^D \not\subseteq R_2^D$  (consider the language  $\{x2x \mid x \in \{0,1\}^*\}$ ). Rosenberg [1] claimed that  $R_k^D \not\subseteq R_{k+1}^D$  for  $k \geq 1$ , but Floyd [2] pointed out that Rosenberg's informal proof was incomplete. Subsequently, Sudborough [3,4], and later Ibarra and Kim [5], proved that  $R_2 \not\subseteq R_3$  and  $R_2^D \not\subseteq R_3^D$ . The main result of this paper is that  $R_k^D \not\subseteq R_{k+1}^D$  and  $R_k \not\subseteq R_{k+1}$  (actually, that  $R_{k+1}^D - R_k \neq \emptyset$ ) for all  $k \geq 1$ . That is, we show that " $k+1$  heads are better than  $k$ " in the sense that there is for each  $k$ , a language  $L$  which can be recognized by a  $(k+1)$ -DFA which can be recognized by no  $k$ -FA (even if the  $k$ -FA can detect coincidence). Our proof uses a counting argument and some observations due to Rosenberg about possible sequences of head movements.

We also show that  $R_k^D \not\subseteq R_k$  for  $k \geq 2$ ; adding nondeterminism to multihead finite automata strictly increases the class of languages they can recognize.



We actually show that

$$R_2 - \left( \bigcup_{1 \leq k < \infty} R_k^D \right) \neq \emptyset;$$

there is a language recognized by a 2-FA but by no k-DFA.

## 2. The Hierarchy Theorem

Consider the language  $L_b$ , defined for positive integers  $b$ , over the alphabet  $\{0,1,*\}$  :

$$L_b = \{w_1 * w_2 \dots * w_{2b} \mid (w_i \in \{0,1\}^*) \wedge (w_i = w_{2b+1-i}) \text{ for } 1 \leq i \leq 2b\}.$$

Theorem 1. The language  $L_b$  is recognizable by a k-FA if and only if  $b \leq \binom{k}{2}$ .

Proof: Rosenberg has demonstrated this in the "if" direction; as the first head traverses  $w_{2b+2-k}, \dots, w_{2b}$  the remaining  $k-1$  heads can be used to compare these words with  $w_{k-1}, \dots, w_1$ , respectively. These  $k-1$  heads can then be positioned at the beginning of  $w_k$  and the same procedure used inductively to verify that  $w_k * \dots * w_{2b+1-k}$  is in  $L_{b+1-k}$ . Note that this procedure is deterministic.

To prove the theorem in the other direction, we derive a contradiction by assuming that a k-FA  $\mathfrak{M}$  accepts every word in  $L_b^n$  for  $b > \binom{k}{2}$  and  $n$  sufficiently large, where  $L_b^n$  is the language

$$L_b^n = \{w_1 * w_2 \dots * w_{2b} \mid (w_i \in \{0,1\}^n) \wedge (w_i = w_{2b+1-i}) \text{ for } 1 \leq i \leq 2b\}.$$

Specifically, we show that if  $\mathfrak{M}$  accepts every word in  $L_b^n$  then  $\mathfrak{M}$  accepts some word not in  $L_b$ . Since  $L_b \supseteq \bigcup_n L_b^n$  the contradiction follows.

A configuration of the k-FA  $\mathfrak{M}$  is a  $(k+1)$ -tuple  $(s, p_1, \dots, p_k)$  where  $s$  is the state of the finite control and  $p_i$  is the position of the  $i$ th head (where the left-most tape square is position number 1). The type of a configuration  $(s, p_1, \dots, p_k)$  is the  $k$ -tuple  $(\lceil p_1 / (n+1) \rceil, \dots, \lceil p_k / (n+1) \rceil)$ ; the  $i$ th element  $q_i$  of the type specifies that the  $i$ th head of  $\mathfrak{M}$  is on  $w_{q_i}$  or its following delimiter in this configuration when scanning a word  $w^i$  in  $L_b^n$ .

Let  $c_1(x), c_2(x), \dots, c_{\ell_x}(x)$  be the sequence of configurations of the k-FA  $\mathfrak{M}$  during an (arbitrarily selected) accepting computation of a word  $x \in L_b^n$ . Here  $\ell_x$  is the length of this computation. Let  $d_1(x), \dots, d_{\ell_x}(x)$  be the

subsequence obtained by selecting  $c_1(x)$  and all subsequent  $c_i(x)$  such that  $\text{type}(c_i(x)) \neq \text{type}(c_{i-1}(x))$ . Call  $d_1(x), \dots, d_{\ell'}(x)$  the pattern of  $x$ . (While

the pattern of  $x$  depends on which accepting computation of  $x$  was selected, this does not matter to our proof; we require only that each word  $x \in L_b^n$  be associated with one pattern in this fashion). The pattern of  $x$  describes the computation of  $\mathfrak{M}$  on input  $x$  in a rough fashion - we select only those configurations where some head has just moved to the first character of some subword  $w_i$  of  $x$ . Using the fact that  $\ell'_x \leq k \cdot (2b-1) + 1$ , we see that the number  $P$  of possible patterns is less than

$$(s \cdot (2b(n+1)))^{k \cdot (2b-1) + 1}$$

where  $s$  is the number of states in  $\mathfrak{M}$ 's finite-state control.

Now we classify the words in  $L_b^n$  according to their patterns. There must exist a pattern  $\hat{d}_1, \dots, \hat{d}_{\ell}$  which corresponds to a set  $S_0$  of at least  $2^{bn}/P$  words.

Rosenberg observed that if  $b > \binom{k}{2}$  then for any computation of  $\mathfrak{M}$  on an  $x \in L_b^n$  there exists an index  $i$  such that  $w_i^*$  and  $w_{2b+1-i}^*$  (or  $w_{2b}^*$  if  $i = 1$ ) are never being read simultaneously. (If a pair of heads is reading such a matched pair of subwords at some point during the computation, then at no other time during the computation could that pair of heads read some other matched pair of subwords. The observation follows since there are only  $\binom{k}{2}$  pairs of heads to consider.) The possible values for  $i$  are determined entirely by the pattern of the computation. Let  $i_0$  be such a value for the pattern  $\hat{d}_1, \dots, \hat{d}_{\ell}$ .

Partition the words in  $S_0$  into classes according to the string

$$w_1^* w_2^* \dots w_{i_0-1}^* w_{i_0+1}^* \dots w_{2b-i_0}^* w_{2b+2-i_0}^* \dots$$

of characters they contain, exclusive of the matched pair of subwords  $w_{i_0}$  and  $w_{2b+1-i_0}$ . Let  $S_1$  be a class which contains at least  $|S_0|/2^{n(b-1)} \geq 2^n/P$  words, and assume  $n$  is large enough so that  $|S_1| \geq 2$ .

Let  $x = x_1 * x_2 * \dots * x_{2b}$  and  $y = y_1 * \dots * y_{2b}$  be two distinct words in  $S_1$ .

By assumption, then

$$(x_i = y_i) \Leftrightarrow i \notin \{i_0, 2b+1-i_0\}.$$


We claim that the word

$$\begin{aligned} z &= z_1 * \dots * z_{2b} \\ &= x_1 * x_2 * \dots * x_{2b-i_0} * y_{2b+1-i_0} * x_{2b+2-i_0} * \dots, \end{aligned}$$

obtained by replacing  $y_{2b+1-i_0}$  for  $x_{2b+1-i_0}$  in  $x$ , will be accepted by  $\mathfrak{M}$ .

However,  $z \notin L_b^n$  since  $z_{i_0} \neq z_{2b+1-i_0}$ , the desired contradiction.

To prove that  $\mathfrak{M}$  accepts  $z$  we use a "cutting and pasting" argument on the sequence of configurations  $c_1(x), \dots$  and  $c_1(y), \dots$ , to obtain a sequence of configurations for  $\mathfrak{M}$  on  $z$  such that  $\mathfrak{M}$  accepts  $z$ . By construction, both  $c_1(x), \dots$  and  $c_1(y), \dots$  contain the pattern  $\hat{d}_1, \dots, \hat{d}_\ell$  as a subsequence. Divide the sequences  $c_1(x), \dots$  and  $c_1(y), \dots$  into  $\ell$  blocks each by beginning a new block with each occurrence of an element  $\hat{d}_i$ , as in the following figure.



By definition of  $\hat{d}_1, \dots$ , the subwords of  $x$  or  $y$  being read change only at the interblock transitions; during any block they remain fixed, and since  $\{c_i(x)\}$  and  $\{c_i(y)\}$  have the same pattern during the  $i$ th block the heads are reading corresponding subwords of  $x$  and  $y$ .



We construct an accepting computation for  $\mathfrak{M}$  of  $z$  by selecting successive blocks from  $\{c_i(x)\}$ , except when  $\mathfrak{M}$  during that block would be reading  $x_{2b+1-i_0}$  ( $\neq z_{2b+1-i_0}$ ), in which case we select the corresponding block from  $\{c_i(y)\}$  (since  $y_{2b+1-i_0} = z_{2b+1-i_0}$ ). This sequence forms a valid computation for  $z$  since the last configuration in block  $i$  for either  $\{c_i(x)\}$  or  $\{c_i(y)\}$  yields  $\hat{d}_{i+1}$  as the next configuration of  $\mathfrak{M}$ , and by construction  $\mathfrak{M}$  is never reading subwords  $i_0$  and  $2b+1-i_0$  simultaneously, so that as far as  $\mathfrak{M}$  is concerned, at any instant it cannot distinguish between  $z$  and one of  $x$  or  $y$ .  $\square$

In summary, the preceding theorem states that

$$L_{\binom{k+1}{2}} \in R_{k+1}^D - R_k,$$

so that  $R_k^D \not\subseteq R_{k+1}^D$  and  $R_k \not\subseteq R_{k+1}$ .

### 3. Consequences of the Hierarchy Theorem.

We present several results which follow more or less directly from the Hierarchy theorem.

Theorem 2. For every  $k \geq 1$ , there is a language  $M_k$  recognized by a 2-FA but by no  $k$ -DFA.

Proof. Let  $M_k = \bar{L}_b$  for  $b = \binom{k}{2} + 1$ , where  $\bar{L}_b$  denotes the complement of  $L_b$ .

By theorem 1,  $M_k$  is recognized by no  $k$ -DFA since  $R_k^D$  is closed under complementation.

However, a 2-FA can recognize  $M_k$  by guessing which matched pair of subwords  $w_i, w_{2b+1-i}$  are unequal and then verifying this.  $\square$

Let

$$M = \{w_1^* w_2^* \dots w_{2b}^* \mid (b \geq 1) \wedge (w_i \in \{0,1\}^* \text{ for } 1 \leq i \leq 2b) \wedge (\exists i)(w_i \neq w_{2b+1-i})\}.$$



Theorem 3. The language M is recognizable by a 3-FA but by no k-DFA.

Proof. To recognize M, send heads one and two to the beginning of some (nondeterministically chosen) subword  $w_i$ . Using head one to count the number of words between  $w_i$  and the endmarker, simultaneously position head three at the beginning of  $w_{2b+1-i}$ . Use heads two and three now to check that  $w_i \neq w_{2b+1-i}$ .

On the other hand, if  $M \in R_k^D$ , then for any fixed b, the language

$$M_b = M \cap \{w_1^* \dots w_{2b}^* \mid (w_i \in \{0,1\}^* \text{ for } 1 \leq i \leq 2b)\}$$

would be in  $R_k^D$  as well, since this only involves counting up to 2b in addition. But then for any b the language  $L_b$  of Theorem 1 would be in  $R_k^D$ , since  $L_b$  is just the complement of  $M_b$  with respect to the regular set  $\{w_1^* \dots w_{2b}^* \mid (w_i \in \{0,1\}^* \text{ for } 1 \leq i \leq 2b)\}$ , contradicting Theorem 1.  $\square$

The theorem can in fact be strengthened as follows:

Theorem 4. There is a language L which can be recognized by a 2-FA but by no k-DFA, for any k. That is,  $(R_2 \setminus R_k^D) \neq \emptyset$ .

Proof: We just present the main idea here and leave the details to the reader, as they are quite similar to those of the proof of Theorem 1.

$$\text{Let } L = \{w_1^* w_2^* \dots w_{2b}^* \mid ((\forall i, 1 \leq i \leq 2b) \\ (w_i \in \{0,1\}^* \notin \{0,1\}^*)) \wedge [(\exists i, j)(w_i = x \notin y \wedge w_j = x \notin z \wedge y \neq z)], \\ \text{for any } b \geq 1\}.$$

That is, each  $w_i$  consists of a "tag" field  $w_i'$  and a "value" field  $w_i''$  so that  $w_i = w_i' \notin w_i''$ . A word  $w_1^* \dots$  is in L iff there is a pair of words with the same tag field but different value fields. Clearly  $L \in R_2$ .

To show  $L \notin R_k^D$ , consider the subset of L such that the tag field of  $w_i$  is the binary representation of  $\min(i, 2b+1-i)$ . As in the proof of Theorem 1, there can be constructed a word in this subset of L which the k-DFA will reject, using the fact that there are many words having this tag structure such that  $w_i = w_{2b+1-i}$  for  $1 \leq i \leq b$  (and thus not in L).  $\square$

### Acknowledgements

We would like to thank Albert Meyer and Jeffrey Jaffe for several helpful discussions, and Zvi Galil for pointing out an error in section 3 of an earlier draft of this paper. Greg Nelson at Harvard has also proven a version of the hierarchy theorem, using entirely different methods [8].

### References

- [1] Rosenberg, A.L., On mutli-head finite automata, IBM J.R. and D., 10, (1966), 388-394.
- [2] Floyd, R.W., Review 14, 352 (of above paper by Rosenberg), Computing Reviews, 9, 5 (May 1968), p. 280.
- [3] Sudborough, I.H., Computation by multi-head finite automata, IEEE Conf. Record of 12th Annual Symp. on Switching and Automata Theory, Mich. (1971), 105-113.
- [4] Sudborough, I.H., Computation by multi-head writing finite automata, Penn. State Univ., Ph.D. thesis, 1971.
- [5] Ibarra, O.H. and Kim, C.E., On 3-head versus 2-head finite automata, Acta Informatica 4 (1975), 193-200.
- [6] Piatkowski, T.F., N-head finite state machines, (Ph.D. thesis) University of Michigan (1963).
- [7] Rosenberg, A.L., Nonwriting extensions of finite automata, (Ph.D. thesis), Report No. BL-39, The Computation Laboratory, Harvard University (1965).
- [8] Nelson, C.G., One-Way Automata on Bounded Languages, Harvard Center for Research and Computing Technical Report TR14-76 (July 1976).