LINEAR REGULATOR DESIGN FOR STOCHASTIC SYSTEMS BY A MULTIPLE TIME SCALES METHOD*

ESL- P-685

DEMOSTHENIS TENEKETZIS Electronic Systems Laboratory Massachusetts Institute of Technology

NILS R. SANDELL Jr. Electronic Systems Laboratory Massachusetts Institute of Technology

ABSTRACT

This paper develops a hierarchically-structured, suboptimal controller for a linear stochastic system composed of fast snd slow subsystems. It is proved that the controller is optimal in the limit as the separation of time scales of the subsystems becomes infinite. The methodology is illustrated by design of a controller to suppress the phugoid and short period modes of the longitudinal dynamics of the F-8 aircraft.

INTRODUCTION

A common occurrence in engineering systems is the presence of phenomena that naturally evolve in widely separated time scales. Some examples drawn from the fields of aerospace and power engineering will serve to illustrate this point.

It is well-known [1] that the longitudinal dynamics of an aircraft are comprised of two distinct oscillatory modes - the phugoid and short period - of periods on the order of 100 sec. and 1 sec. A terrestrial inertial navigator has Schuler oscillations of period 84 min. and earth rate oscillations with period 24 hr. [2]. A dual spin satellite in synchronous orbit will be subject to an orbital oscillation with a 24 hr. period and a nutation with period on the order of 1-10 sec. [3,4]. These effects are often used in an ad hoc way in the design of filters and controllers, usually by assuming that the slow modes are constant if the fast modes are of concern, or by ignoring the fast modes when the slow modes are of interest. See [3, 5-8, 28] for examples.

Additional examples can be found in the field of electric power systems. An electrical machine has an oscillatory mode involving stator fluxes that is invariably neglected in favor of the much slower electromechanical oscillations in stability studies [9]. A similar approximation is made in studies of a large number of interconnected machines, in which the intermachine electromechanical swings are ignored when the much slower average frequency behavior is of primary concern [10].

In addition to these concrete examples, note that proponents of hierarchical control often suggest that the task of controlling a large scale system should be partitioned into subtasks by time scale. Thus the higher levels of the control system are concerned with slower phenomena, and the lower levels with faster phenomena [ll-l4]. It is difficult to point to any specific examples, with the possible exception of the interaction between automatic generation control and economic dispatch on electric power systems [15].

The multiple time scale phenomena alluded to above are conveniently

^{*}This research was conducted at the M.I.T. Electronic Systems Laboratory with support extended by NASA under Grant NGL-22-009-124, and by ERDA under grant ERDA-E(49-18)-2087.

modelled via perturbation theory [16]. There are a number of possible approaches, but we will adopt the framework of singular perturbation theory. This theory has been applied to a variety of control problems by a number of authors [17-21, 24-27] but the previous work most relevant to this paper is that of Kokotovic et. al. [18-20] and Haddad [21]. This paper is in the spirit of [18-21], and moreover requires several of the detailed results of these papers concerning singular perturbations of Ricatti equations.

Specifically, the paper begins by analysis of singular perturbations for linear stochastic systems with two time scales. An approximating system is obtained with the property that the mean-square error between the states of the actual and approximating systems approaches zero as the separation of time scales becomes infinite. The usefulness of this result is demonstrated by application to the stochastic optimal linear regulator problem. With the machinery properly set up, it is straightforward to identify the asymptotically optimal controller, using known results on singular perturbations of Riccati equations. The controller has an interesting hierarchical structure, with the implication of reduced on line computations.

These new theoretical results are illustrated by application to an important control problem. An asymptotically optimal two time scale controller is developed for the longitudinal dynamics of a jet aircraft. The two time scale controller is compared to the optimal controller, and it is demonstrated that there is negligible degradation in performance.

An attempt is made throughout to relegate technical details to the Appendix, so that the paper will be accessible to engineers interested only in the two time scale design procedure.

MAIN RESULTS

Singular perturbation theory is concerned with systems of the form

 $\dot{\mathbf{x}}(\mathbf{t}; \mathbf{\varepsilon}) = \mathbf{f}(\mathbf{x}, \mathbf{y}, \mathbf{\varepsilon})$ (2.1)

$$\varepsilon \dot{y}(t; \varepsilon) = g(x, y, \varepsilon)$$
(2.2)

and the corresponding degenerate system

$$\dot{\mathbf{x}}(t; 0) = \mathbf{f}(\mathbf{x}, \mathbf{y}, 0)$$
 (2.3)

(2.4)

 $0 = g(\mathbf{x}, \mathbf{y}, \mathbf{0})$

The basic question is whether (2.3) - (2.4) is an approximation to (2.1) - (2.2) in the sense that

 $\lim_{\varepsilon \to 0} \mathbf{x}(t; \varepsilon) = \mathbf{x}(t; 0)$ (2.5)

$$\lim_{\varepsilon \to 0} y(t; \varepsilon) = y(t; 0)$$
(2.6)

Various technical assumptions are required to obtain (2.5) and (2.6), but under these assumptions the degenerate system is a valid reduced order approximation to the original system in the sense that for ε sufficiently small the solutions of the two systems are close.

In the stochastic case, the situation is more complex. Consider the linear system

$$\frac{d}{dt} \begin{bmatrix} \mathbf{x}_{1}(t; \epsilon) \\ \epsilon \mathbf{x}_{2}(t; \epsilon) \end{bmatrix} = \begin{bmatrix} \mathbf{A}_{11}(\epsilon) & \mathbf{A}_{12}(\epsilon) \\ \mathbf{A}_{21}(\epsilon) & \mathbf{A}_{22}(\epsilon) \end{bmatrix} \begin{bmatrix} \mathbf{x}_{1}(t; \epsilon) \\ \mathbf{x}_{2}(t; \epsilon) \end{bmatrix} + \begin{bmatrix} \mathbf{L}_{1}(\epsilon) \\ \mathbf{L}_{2}(\epsilon) \end{bmatrix} \xi(t) \quad (2.7)$$

where

$$\begin{bmatrix} \mathbf{x}_{2}(0; \epsilon) \mathbf{x}_{1}^{\mathrm{T}}(0; \epsilon) & \mathbf{x}_{2}(0; \epsilon) \mathbf{x}_{2}^{\mathrm{T}}(0; \epsilon) \end{bmatrix} \begin{bmatrix} \Sigma_{21} & \Sigma_{22} \end{bmatrix}$$
(2.9)

$$E{\xi(t)} = 0$$
 (2.10)
 $E{\xi(t)\xi^{T}(s)} = E\delta(t-s)$ (2.11)

 $x_1^{(0)}$, $x_2^{(0)}$ are independent of $\xi_1^{(t)}$, $\xi_2^{(t)}$, and all matrices are continuous in ε at $\varepsilon = 0$. Moreover, $A_{22}^{(0)}$ is stable.

An approximation to (2.7) is desired that is valid for small ε and is simpler than (2.7). Note that setting $\varepsilon = 0$ in (2.7) is inadequate; since

$$\mathbf{x}_{2}(t; 0) = -\mathbf{A}_{22}^{-1}(0)\mathbf{A}_{21}(0)\mathbf{x}_{1}(t; 0) - \mathbf{A}_{22}^{-1}(0)\mathbf{L}_{2}(0)\boldsymbol{\xi}(t)$$
(2.12)

has a white noise component and therefore has infinite variance. Consequently,

$$\mathbf{E}\left\{\left(\mathbf{x}_{2}(\mathsf{t}; \varepsilon) - \mathbf{x}_{2}(\mathsf{t}; 0)\right)^{\mathrm{T}}\left(\mathbf{x}_{2}(\mathsf{t}; \varepsilon) - \mathbf{x}_{2}(\mathsf{t}; 0)\right)\right\} = +\infty \qquad (2.13)$$

so that $x_2(t; 0)$ is <u>not</u> an approximation to $x_2(t; \varepsilon)$ (in the least squares sense).

Instead, define the stochastic degenerate system associated with (2.7) to be the system

$$\dot{\mathbf{x}}_{1d}(t; \epsilon) = \mathbf{A}_{11d}(\epsilon)\mathbf{x}_{1d}(t; \epsilon) + \mathbf{L}_{1d}(\epsilon)\boldsymbol{\xi}(t), \mathbf{x}_{1d}(0; \epsilon) = \mathbf{x}_{1}(0) \quad (2.14)$$

$$\dot{x}_{2d}(t; \epsilon) = A_{21d}(\epsilon) x_{1d}(t; \epsilon) + A_{22d}(\epsilon) x_{2d}(t; \epsilon) + L_{2d}(\epsilon) \xi(t),$$

$$x_{2d}^{(0; \epsilon)} = x_2^{(0)}$$
 (2.15)

where

$$A_{11d}(\varepsilon) = A_{11}(\varepsilon) - A_{12}(\varepsilon)A_{22}^{-1}(\varepsilon)A_{21}(\varepsilon)$$
 (2.16)

$$L_{1d}(\varepsilon) = L_{1}(\varepsilon) - A_{12}(\varepsilon)A_{22}^{-1}(\varepsilon)L_{2}(\varepsilon)$$
(2.17)

$$A_{21d}(\varepsilon) = A_{21}(\varepsilon)$$
(2.18)

$$L_{2d}(\varepsilon) = L_2(\varepsilon)$$
(2.19)

Notice that the stochastic degenerate system is of the same order as the original system, unlike the situation for deterministic singular perturbations.

Theorem 1

Consider the linear stochastic system (2.7) - (2.11) and a correspond-

ing stochastic degenerate system (2.14) - (2.15). Assume that all matrices in the two systems are continuous in ε at $\varepsilon = 0$, and that $A_{22}(0)$ and

 $A_{11}(0) - A_{12}(0)A_{22}^{-1}(0)A_{21}(0)$ are stable¹ (i.e., have eigenvalues in the open left half complex plane). Then the stochastic degenerate system is an approximation to the original system in the sense that

$$\lim_{\varepsilon \to 0} E\{(x_1(t; \varepsilon) - x_{1d}(t; \varepsilon))(x_1(t; \varepsilon) - x_{1d}(t; \varepsilon))^T\} = 0$$
(2.22)

 $\lim_{\varepsilon \to 0} E\{(x_2(t; \varepsilon) - x_{2d}(t; \varepsilon))(x_2(t; \varepsilon) - x_{2d}(t; \varepsilon))^T\} = 0$ (2.23) uniformly for $0 < t < \infty$.

Proof

The proof of the theorem is quite involved. Differential equations for

$$\Sigma_{11}(t;\varepsilon) \stackrel{\Delta}{=} E\{\widetilde{x}_{1}(t;\varepsilon)\widetilde{x}_{1}^{T}(t;\varepsilon)\} \stackrel{\Delta}{=} E\{(x_{1}(t;\varepsilon)-x_{1d}(t;\varepsilon))(x_{1}(t;\varepsilon)-x_{1d}(t;\varepsilon))^{T}\}$$

$$(2.24)$$

$$\Sigma_{22}(t;\varepsilon) \stackrel{\Delta}{=} E\{\widetilde{x}_{2}(t;\varepsilon)\widetilde{x}_{2}^{T}(t;\varepsilon)\} \stackrel{\Delta}{=} E\{(x_{2}(t;\varepsilon)-x_{2d}(t;\varepsilon))(x_{2}(t;\varepsilon)-x_{2d}(t;\varepsilon))^{T}\}$$

(2.25)

are obtained, and the limits are evaluated by (non-stochastic) singular perturbation theory to establish (2.22) and (2.23). See the Appendix for details.

Remarks

1. Note that the stochastic degenerate system is the same order as the original system, so that (2.23) is valid for t = 0.

2. Clearly, the assumption $A_{11}(0) - A_{12}(0)A_{22}(0)A_{21}(0)$ stable is only necessary to insure uniform convergence in (2.22), (2.23) on the infinite interval. Without this assumption, a theorem of Tihonov [16] can be invoked which insures uniform convergence in (2.22), (2.23) for sets of the form [0,T].

3. Proof is easily generalized to cover uniformly asymptotically stable time-varying systems at the expense of some additional notation.

Consider now the system

$$\dot{\mathbf{x}}(\mathbf{t}; \ \mathbf{\varepsilon}) = \mathbf{A}(\mathbf{\varepsilon})\mathbf{x}(\mathbf{t}; \ \mathbf{\varepsilon}) + \mathbf{B}(\mathbf{\varepsilon})\mathbf{u}(\mathbf{t}) + \mathbf{L}(\mathbf{\varepsilon})\boldsymbol{\xi}(\mathbf{t})$$
(2.26)

with observations

$$y(t; \epsilon) = Cx(t; \epsilon) + \theta(t)$$
 (2.27)

and cost

$$J = \lim_{T \to \infty} \frac{1}{T} \left[E \left\{ \int_{0}^{T} x^{T} Q x + u^{T} R u dt \right\} \right]$$
(2.28)

Note that this assumption implies that there exists an $\varepsilon_0 > 0$ such that the system matrix in (2.7) is stable for all $0 \le \varepsilon < \varepsilon_0$ [22].

where
$$\mathbf{x} = \begin{bmatrix} \mathbf{x}_1 \\ \mathbf{x}_2 \end{bmatrix} , \quad \mathbf{\lambda} = \begin{bmatrix} \mathbf{\lambda}_{11} & \mathbf{\lambda}_{12} \\ \frac{\mathbf{\lambda}_{21}}{c} & \frac{\mathbf{\lambda}_{22}}{c} \end{bmatrix} , \quad \mathbf{B} = \begin{bmatrix} \mathbf{B}_1 \\ \mathbf{B}_2 \\ \frac{\mathbf{B}_2}{c} \end{bmatrix}$$
$$\mathbf{L} = \begin{bmatrix} \mathbf{L}_1 \\ \mathbf{L}_2 \\ \frac{\mathbf{L}_2}{c} \end{bmatrix} , \quad \mathbf{C} = \begin{bmatrix} \mathbf{C}_1 & \mathbf{C}_2 \end{bmatrix} , \quad \mathbf{Q} = \begin{bmatrix} \mathbf{Q}_{11} & \mathbf{Q}_{21} \\ \mathbf{Q}_{21} & \mathbf{Q}_{22} \end{bmatrix} \geq 0, \quad \mathbf{R} > 0$$
$$\mathbf{E}\{\xi(t)\} = 0, \quad \mathbf{E}\{\theta(t)\} = 0$$
$$\mathbf{E}\{\xi(t)\xi^{\mathrm{T}}(s)\} = \mathbf{E}\delta(t-s), \quad \mathbf{E}\{\theta(t)\hat{\theta}^{\mathrm{T}}(s)\} = \mathbf{O}\delta(t-s)$$
$$\mathbf{E} > 0, \quad \mathbf{O} > 0$$
and $\xi(t), \quad \theta(t)$ are independent and Gaussian. The assumptions $[\mathbf{A}(c), \mathbf{B}(c)], \quad [\mathbf{A}(c), \mathbf{L}(c)] \quad \text{controllable} \quad (2.29)$
$$[\mathbf{A}(c), \mathbf{C}], \quad [\mathbf{A}(c), \mathbf{L}(c)] \quad \text{controllable} \quad (2.30)$$
are made, $0 \leq c \leq c_0.$
As is well known, the optimal control law is u(t; $c) = -\mathbf{G}(c)\hat{\mathbf{x}}(t; c) \quad (2.31)$ where $\mathbf{G}(c) = \mathbf{R}^{-1}\mathbf{B}^{\mathrm{T}}(c) \quad (2.33)$ The estimate satisfies the equation $\hat{\mathbf{X}}(t, c) = \mathbf{A}(c)\hat{\mathbf{X}}(t; c) + \mathbf{H}(c)\mathbf{Y}(t; c) - \mathbf{C}\hat{\mathbf{X}}(t; c)) + \mathbf{B}(c)\mathbf{U}(t; c) \quad (2.34)$ where $\mathbf{H}(c) = \mathbf{\Sigma}(c)\mathbf{C}^{\mathbf{O}^{-1}} \quad (2.35)$ and $\mathbf{\Sigma}(c)$ satisfies $0 = \mathbf{\Sigma}(c)\mathbf{A}^{\mathrm{T}}(c) + \mathbf{A}(c)\mathbf{\Sigma}(c) + \mathbf{L}(c)\mathbf{E}\mathbf{L}^{\mathrm{T}}(c) - \mathbf{\Sigma}(c)\mathbf{C}^{\mathrm{T}}\mathbf{R}^{-1}\mathbf{C}\mathbf{\Sigma}(c) \quad (2.36)$ At this point, we are ready to apply Theorem 1 to approximate the controller (2.31), (2.34) by a two time scale controller. Because of Theorem 1, any system that has a stochastic degenerate system in common with the optimal closed-loop system value be written \begin{bmatrix} \hat{\mathbf{X}}_1(t; c) \\ \hat{\mathbf{X}}_1(t; c) \\ \hat{\mathbf{X}}_2(t; c) \end{bmatrix} =

$$\begin{bmatrix} A_{11} & -B_{1}G_{1}(\varepsilon) & A_{12} & -B_{1}G_{2}(\varepsilon) \\ H_{1}(\varepsilon)C_{1} & A_{11}-B_{1}G_{1}(\varepsilon)-H_{1}(\varepsilon)C_{1} & H_{1}(\varepsilon)C_{2} & A_{12}-B_{1}G_{2}(\varepsilon)-H_{1}(\varepsilon)C_{2} \\ A_{21} & -B_{2}G_{1}(\varepsilon) & A_{22} & -B_{2}G_{2}(\varepsilon) \\ \varepsilon H_{2}(\varepsilon)C_{1} & A_{21}-B_{2}G_{1}(\varepsilon)-\varepsilon H_{2}(\varepsilon)C_{1} & \varepsilon H_{2}(\varepsilon)C_{2} & A_{22}-B_{2}G_{2}(\varepsilon)-\varepsilon H_{2}(\varepsilon) \end{bmatrix}$$

$$\begin{bmatrix} \mathbf{x}_{1}(\mathbf{t};\varepsilon) \\ \hat{\mathbf{x}}_{1}(\mathbf{t};\varepsilon) \\ \hat{\mathbf{x}}_{2}(\mathbf{t};\varepsilon) \\ \hat{\mathbf{x}}_{2}(\mathbf{t};\varepsilon) \end{bmatrix} + \begin{bmatrix} \mathbf{L}_{1} & \mathbf{0} \\ \mathbf{0} & \mathbf{H}_{1}(\varepsilon) \\ \mathbf{L}_{2} & \mathbf{0} \\ \mathbf{0} & \boldsymbol{\varepsilon}\mathbf{H}_{2}(\varepsilon) \end{bmatrix} \begin{bmatrix} \boldsymbol{\xi}(\mathbf{t}) \\ \boldsymbol{\theta}(\mathbf{t}) \end{bmatrix}$$

(2.37)

Note that the stochastic degenerate system can be obtained by eliminating x_2 , \hat{x}_2 from the equations for x_1 , \hat{x}_1 using the algebraic relations that result when ε is set equal to zero in the left hand side of (2.37). Of course, the resulting system cannot be implemented since the value of ε in the x_1 and x_2 equations is not a design parameter.

An implementable system that has a stochastic degenerate system in common with (2.37) is obtained as follows. Assume that $(A_{22}-B_2G_2(\epsilon)-\widetilde{H}_2(\epsilon)C_2)^{-1}$ exists. Set $\varepsilon = 0$ in the left hand side of only the \hat{x}_{2} equations of (2.37) to obtain:

$$\hat{\mathbf{x}}_{2} = -(\mathbf{A}_{22} - \mathbf{B}_{2}\mathbf{G}_{2}(\varepsilon) - \tilde{\mathbf{H}}_{2}(\varepsilon)\mathbf{C}_{2})^{-1}[(\mathbf{A}_{21} - \mathbf{B}_{2}\mathbf{G}_{1}(\varepsilon) - \tilde{\mathbf{H}}_{2}(\varepsilon)\mathbf{C}_{1})\hat{\mathbf{x}}_{1} + \\ + \tilde{\mathbf{H}}_{2}(\varepsilon)\mathbf{C}_{1}\mathbf{x}_{1} + \tilde{\mathbf{H}}_{2}(\varepsilon)\mathbf{C}_{2}\mathbf{x}_{2} + \tilde{\mathbf{H}}_{2}(\varepsilon)\boldsymbol{\theta}]$$
(2.38)

Substitute into the $\hat{\mathbf{x}}_1$ equation to obtain

$$\hat{\hat{x}}_{ld}(t; \epsilon) = A_{llD}\hat{x}_{ld}(t; \epsilon) + H_{lD}y(t; \epsilon)$$
(2.39)

where

$$A_{11D}(\varepsilon) = A_{11} - B_1 G_1(\varepsilon) - H_1(\varepsilon) C_1 - (A_{12} - B_1 G_2(\varepsilon) - H_1(\varepsilon) C_2) \times (A_{22} - B_2 G_2(\varepsilon) - \tilde{H}_2(\varepsilon) C_2)^{-1} (A_{21} - B_2 G_1(\varepsilon) - \tilde{H}_2(\varepsilon) C_1)$$
(2.40)

$$H_{1D}(\varepsilon) = H_{1}(\varepsilon) - (A_{12} - B_{1}G_{2}(\varepsilon) - H_{1}(\varepsilon)C_{2}) (A_{22} - B_{2}G_{2}(\varepsilon) - \tilde{H}_{2}(\varepsilon)C_{2})^{-1}\tilde{H}_{2}(\varepsilon)$$


$$(2.41)$$

$$(2.42)$$

 $\tilde{H}_{2}(\varepsilon) = \varepsilon H_{2}(\varepsilon)$

Based on this analysis, the following suboptimal closed-loop system is obtained.

$\dot{x}_{1D}(t;\epsilon)$	
$\hat{\mathbf{x}}_{1D}(t;\varepsilon)$	
$\varepsilon_{2D}^{*}(t;\varepsilon)$	
$\hat{\epsilon x}_{2D}(t;\epsilon)$	



Clearly, (2.43) is not the stochastic degenerate system of (2.37), but has been constructed to have a stochastic degenerate system in common with (2.37)

Theorem 2.

Consider the LQG problem defined by (2.26) - (2.28). Assume that the controllability and observability assumptions (2.29), (2.30) hold and that $(A_{22} - B_2G_2(\varepsilon) - H_2(\varepsilon)C_2)^{-1}$ exists, $0 < \varepsilon \le \varepsilon_0$. Then the suboptimal closed-loop system (2.43) is asymptotically optimum in the following sense:

$$\begin{split} &\lim_{\epsilon \to 0} \quad \mathbb{E} \{ (\mathbf{x}_{1}(\mathbf{t};\epsilon) - \mathbf{x}_{1D}(\mathbf{t};\epsilon)) (\mathbf{x}_{1}(\mathbf{t};\epsilon) - \mathbf{x}_{1D}(\mathbf{t};\epsilon))^{\mathrm{T}} \} = 0 \\ &\lim_{\epsilon \to 0} \quad \mathbb{E} \{ (\hat{\mathbf{x}}_{1}(\mathbf{t};\epsilon) - \hat{\mathbf{x}}_{1D}(\mathbf{t};\epsilon)) (\hat{\mathbf{x}}_{1}(\mathbf{t};\epsilon) - \hat{\mathbf{x}}_{1D}(\mathbf{t};\epsilon))^{\mathrm{T}} \} = 0 \\ &\lim_{\epsilon \to 0} \quad \mathbb{E} \{ (\mathbf{x}_{2}(\mathbf{t};\epsilon) - \mathbf{x}_{2D}(\mathbf{t};\epsilon)) (\mathbf{x}_{2}(\mathbf{t};\epsilon) - \mathbf{x}_{2D}(\mathbf{t};\epsilon))^{\mathrm{T}} \} = 0 \\ &\lim_{\epsilon \to 0} \quad \mathbb{E} \{ (\hat{\mathbf{x}}_{2}(\mathbf{t};\epsilon) - \hat{\mathbf{x}}_{2D}(\mathbf{t};\epsilon)) (\hat{\mathbf{x}}_{2}(\mathbf{t};\epsilon) - \hat{\mathbf{x}}_{2D}(\mathbf{t};\epsilon))^{\mathrm{T}} \} = 0 \\ &\lim_{\epsilon \to 0} \quad \mathbb{E} \{ (\hat{\mathbf{x}}_{2}(\mathbf{t};\epsilon) - \hat{\mathbf{x}}_{2D}(\mathbf{t};\epsilon)) (\hat{\mathbf{x}}_{2}(\mathbf{t};\epsilon) - \hat{\mathbf{x}}_{2D}(\mathbf{t};\epsilon))^{\mathrm{T}} \} = 0 \end{split}$$

Proof

As noted above, (2.37) and (2.43) have a common stochastic degenerate system which governs their behavior as $\varepsilon \neq 0$. Therefore, all that is required is the verification of the hypotheses of Theorem 1.

The required continuity properties follow from [18, 20]. Note that under the stated controllability and observability assumptions the degenerate and boundary layer system controllability and observability conditions required are satisfied [24]. The required stability properties are established as a consequence of the stability of the closed loop LQG design and a previously quoted result [22]. Full details can be found in [23].

Remarks

1. Note that the above results are not the most general possible, since the time-varying and finite horizon case could probably also be solved. However, the above results are of the greatest practical interst.

2. Extension to more than two time scales in straightforward [22].

3. Investigation of the rather ad hoc assumption $(A_{22}-B_2(\varepsilon)G_2(\varepsilon)-H_2(\varepsilon)C_2)^{-1}$

exists for $0 < \varepsilon \leq \varepsilon_0$ would be of theoretical interest since verification is difficult. As a practical matter, this issue is less important, since invertibility for the value of ε of interest is easily checked. The performance of the two time scale controller can then be directly assessed.

4. The proposed suboptimal controller is illustrated in Figure 1. Notice that there is a unidirectional interface between the slow and fast filters. Thus there is opportunity for considerable reduction in <u>on-line</u> computational effort since the two sets of filter equations can be numerically integrated in different time scales (i.e., with different step sizes).

5. The above development assumed, for simplicity, that the optimal gain matrices $H(\varepsilon)$, $G(\varepsilon)$ were computed. In fact, by a more elaborate analysis, it is possible to show that only asymptotic approximations to $H(\varepsilon)$, $G(\varepsilon)$ near $\varepsilon = 0$ need to be computed [22]. It is possible to compute these approximations by the methods extensively studied in [18-21], thus obtaining a potential reduction in off-line as well as on-line computation.

6. Notice that it is the two time scale nature of the <u>closed loop</u> system that is required. In the above analysis, as $\varepsilon \neq 0$ the closed loop system automatically has fast and slow modes. In a physical system ε has a fixed, non-zero value. Consequently, it is possible that the open loop dynamics can have fast and slow modes, but in the closed loop these slow modes are eliminated.

TWO TIME SCALE CONTROL OF AIRCRAFT LONGITUDINAL DYNAMICS

The particular problem to be addressed in this section is the design of a feedback control system for the longitudinal dynamics of an F-8 aircraft. Specifically the controller must produce elevator commands to keep the aircraft in steady level flight in the face of wind disturbances. For simplicity, the wind disturbance is modelled as white.

The equations of motion of an airplane are a set of coupled nonlinear equations in the longitudinal and lateral state variables. If the equations are linearized about nominal state and control variables, then the resulting linear equations are found to approximately decouple into separate sets for the longitudinal and lateral dynamics. See [1] for an excellent discussion of the modelling issues.

The aircraft's longitudinal variables are

= 0_

$$\mathbf{x} = \begin{bmatrix} \mathbf{v} \\ \mathbf{\gamma} \\ \mathbf{\alpha} \\ \mathbf{q} \end{bmatrix} , \mathbf{u}$$

where

V = horizontal velocity deviation in ft/sec

- γ = flight path angle in radians,
- α = angle of attack in radians,
- q = pitch rate in rad/sec.

 δ_{a} = is the elevator deflection in radians

The interpretation of these variables is given in Figure 2. Table 1 gives the system matrices. It is assumed that velocity and pitch rate measurements, both corrupted by wideband noise, are available.

Figures 3-4 show the system response to an initial pitch $\theta(0) = 1^{\circ}$, V(0) = 100 ft/sec in the absence of the wind disturbance. The two time scale behavior is well illustrated here. Table 2 gives the system's eigenvalues and eigenvectors. Note that the variables V, γ dominate the slower phugoid

mode, and the variables α , q dominate the faster short period mode. The physical nature of these oscillations is beautifully described on pages 320-328 of [1].

From the above discussion and inspection of the system A matrix, the equations for V and γ are the logical candidates for the slow dynamics and the equations for α and q are suggested as the fast dynamics. For determination of ε , the following procedure is suggested. Note that the state equations can be written

 $\frac{d}{dt} \begin{bmatrix} x_1 \\ \epsilon x_2 \end{bmatrix} = \begin{bmatrix} A_{11} & A_{12} \\ \epsilon A_{21} & \epsilon A_{22} \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} + \begin{bmatrix} B_1 \\ \epsilon B_2 \end{bmatrix} u + \begin{bmatrix} L_1 \\ \epsilon L_2 \end{bmatrix}$ where $x_1^T = [V \ Y]$, $x_2^T = [\alpha \ q]$. For $\epsilon = .01$, the matrix $\frac{eA_{22}}{eA_{22}} \begin{bmatrix} -.012 & .0100 \\ -.0901 & .0069 \end{bmatrix}$

has eigenvalues comparable to those of A_{11} . Determination of a value of ε is actually not required for design of the two time scale controller, but is useful for judging the appropriateness of the approximation $\varepsilon = 0$.

Before proceeding with the regulator design, a few remarks are in order. First, the aircraft longitudinal variables more often include the pitch θ instead of the flight path angle γ . It was only after considerable difficulty that the above formulation, in which the choice of fast and slow variables is clear, was hit upon. Second, the extensive literature on singular perturbation theory contains almost no discussion of the choice of fast and slow variables, or the choice of ε . But determination of these quantities is the first problem one has to face up to in applications of the theory.

A LQG controller was designed for the Q and R matrices Q = diag [.01,0,3260,3260], R =[3260] using standard routines [29]. Design goals were to (i) achieve a damping ratio $\zeta > .707$ for both modes (ii) reduce the state variables response to the wind disturbance. Closed-loop eigenvalues and RMS state variable and estimation error standard deviations are given in Table 3. As noted in remark 6 of Theorem 2, it is critical that the open loop separation of modes be present also in the closed loop. From Table 2, the optimal design has this property. The closed-loop eigenvalues of the two time scale controller and corresponding RMS state variable and estimation error standard deviations are also listed in Table 3. Note the generally good correspondance between the optimal and suboptimal designs.

SUMMARY AND CONCLUSIONS

This paper has considered the reduction in on-line computational effort for an LQG design with fast and slow closed loop modes. Together with the results of [18-21], this paper demonstrates that the singular perturbation approach to the LQG problem offers the potential of near optimal performance with reduction in both on-and off-line computation.

The design procedure of this paper has been applied to control of the longitudinal dynamics of a jet aircraft. A two time scale design was obtained with performance extremely close to that of the optimal design. Note that recent proposals for adaptive flight control systems require multiple Kalman filters running in parallel [30, 31], so that reduction of

on-line computation is of definite interest.

Several directions for future research are evident. First, procedures for systematically picking the fast and slow variables of a system with fast and slow modes, as well as for determining explicitly ε , would be highly useful in applications. Second, note that the design of Figure 1 has an interesting hierarchical structure. In fact, as pointed out in [14], if a system is composed of a number of fast subsystems with a slow interconnecting equation, a decentralized, hierarchical design is naturally obtained. Therefore, the results of this paper are of potential interest in hierarchical systems theory. Finally, note that singular perturbation theory is only one approach to the multiple time scale phenomenon. The results of Ramnath [32], for example, provide another approach that could be exploited in control theory.

REFERENCES

- 1. B. Etkin, Dynamics of Atmospheric Flight, Wiley, N.Y., 1972.
- 2. C. Broxmeyer, Inertial Navigation Systems, McGraw-Hill, New York, 1964.
- 3. C.R. Johnson, "TACSAT I Nutation Dynamics", in N.E. Feldman and C.M. Kelley, Eds., <u>Communication Satellites for the 70's: Technology</u>, M.I.T. Press, Cambridge, Massachusetts, 1971.
- 4. Y.C. Tao, <u>Satellite Attitude Prediction by Multiple Time Scales Method</u>, Ph.D. Thesis, M.I.T., Feb. 1976.
- 5. W.H. Lee, K.P. Dunn, M. Athans, "A Study of the Continuous Time LQG Problem for a Reduced Model of the F-8 Aircraft Longitudunal Dynamics", ESL Interim Report 6, NASA Grant NSG-1018, M.I.T., March 1975.
- 6. W.F. O'Halloran, Jr. and R. Warren, "Design of a Reduced State Suboptimal Filter for Self-Calibration of a Terrestrial Inertial Navigation System", AIAA Guidance and Control Conference, Stanford University, 1972.
- 7. A.E. Bryson, Jr., "Rapid In-Flight Estimation of IMU Platform Misalignments Using External Position and Velocity Data", Unpublished memo, Stanford University, January 1973.
- W.L. Black, B. Howland, E.A. Brablick, "An Electromagnetic Attitude Control System for a Synchronous Satellite", <u>AIAA J. Spacecraft</u>, Vol. 6, No. 7, July 1969.
- 9. D.W. Olive, "Digital Simulation of Synchronous Machine Transients", IEEE Trans. P.A.S., August, 1968.
- M.L. Chan, R.D. Dunlop, F.C. Schweppe, "Dynamic Equivalents for Average System Frequency Behavior Following Major Disturbances", <u>IEEE Trans.</u> <u>P.A.S.</u>, Vol. PAS-91, No. 4, July/August 1972.
- 11. M.D. Mesarovic, D. Macko, and Y. Takahara, <u>Theory of Hierarchical</u>, Multilevel Systems, Academic Press, New York, 1970.
- 12. C.Y. Chong, <u>On the Decentralized Control of Large Scale Systems</u>, Ph.D. Thesis, M.I.T., 1972.
- F.C. Schweppe and S.K. Mitter, "Hierarchcal Systems Theory and Electric Power Systems", in E. Handschin, Ed., <u>Real-time Control of Electric</u> <u>Power Systems</u>, Elsevier, 1972.
- 14. N.R. Sandell, Jr., P. Varaiya, and M. Athans, "Survey of Decentralized Control Methods for Large Scale Systems", <u>Proc. Engineering Foundation</u> <u>Conference on Systems Engineering for Power: Status and Prospects</u>, <u>Henniker</u>, New Hampshire, August 1975.
- 15. J. Zaborszky, A.K. Subramarian, K.M. Lu, "Control Interfaces in

Generation Allocation", <u>Proc. Engineering Foundation Conference on</u> Systems Engineering for <u>Power: Status and Prospects</u>, Henniker, New Hampshire, August 1975.

- 16. W.W. Wasow, <u>Asymptotic Expansions for Ordinary Differential Equations</u>, Interscience, New York, 1965.
- 17. <u>Singular Perturbations: Order Reduction in Control System Design</u>, American Society of Mechanical Engineers, New York, 1972.
- P.P. Kokotovic and R.A. Yackel, "Singular Perturbation of Linear Regulators" Basic Theorems", <u>IEEE Trans. A.C.</u>, Vol. AC-17, No. 1, February 1972.
- 19. A.H. Haddad and P.V. Kokotovic, "On a Singular Perturbation Problem in Linear Filtering Theory", Proc. 5th Annual Princeton Conference on Information Sciences and Systems, Princeton, N.J., March 1971.
- 20. A.H. Haddad and P.V. Kokotovic, "On Singular Perturbations in Linear Filtering and Smoothing," <u>Proc. 5th Symposium on Nonlinear Estimation</u> Theory and Its Applications, San Diego, CA. September 1974.
- 21. A.H. Haddad, "Linear Filtering of Singularly Perturbed Systems", <u>IEEE</u> Trans. A.C., Vol. AC-21, No. 4, August 1976.
- 22. C.A. Desoer and M.J. Shensa, "Networks with Very Small and Very Large Parasitics: Natural Frequencies and Stability", Electronic Research Laboratory, University of California, Berkeley, Memo No. ERL-4276, April 1970.
- 23. D. Teneketzis, "Perturbation Methods in Decentralized Stochastic Control," S.M. Thesis, M.I.T., Cambridge, Massachusetts 1976.
- 24. P.V. Kokotovic and A.H. Haddad, "Controllability and Time Optimal Control of Systems with Slow and Fast Modes", <u>IEEE Trans. A.C.</u>, Vol. AC-20, No. 1, February 1975.
- T.N. Edelbaum, "Singular Perturbations and Minimum Fuel Space Trajectories", <u>Eighth Annual Allerton Conference on Circuit and System</u> Theory, Monticello, Illinois, Oct. 1970.
- 26. P.V. Kokotovic, R.E. O'Malley Jr., and P. Sannuti, "Singular Perturbations and Order Reduction in Control Theory - An Overview", Sixth World IFAC Conference, Cambridge, Massachusetts, Sept. 1975.
- 27. A.J. Calise, "Singular Perturbation Methods for Variational Problems in Aircraft Flight", IEEE Trans. A.C., Vol. AC-21, No. 3, June 1976.
- 28. M.F. Barrett and G. Stein, "Performance Predictions for Gyro-Based Satellite Attitude Control Systems at Geosynchronous Altitude", <u>AIAA</u> <u>Guidance and Control Conference</u>, San Diego, Calif., August 1976.
- 29. N.R. Sandell Jr. and M. Athans, <u>Modern Control Theory:Computer Manual</u>, M.I.T. Center for Advanced Engineering Stady, Cambridge, Mass., 1974.
- 30. M. Athans et. al., "The Stochastic Control of the F-8C Aircraft Using the Multiple Model Adaptive Control (MMAC) Method", to appear in <u>IEEE</u> Trans. A.C.
- 31. G. Stein, G. Hartman, R. Hendrick, "Adaptive laws for F-8 Flight Test", to appear in IEEE Trans. A.C.
- R.V. Ramnath and G. Sundri, "A Generalized Multiple Time Scales Approach to a Class of Linear Differential Equations", <u>J. Math. Anal. Ap</u>. Vol. 28, No. 2, November 1969.

APPENDIX

Proof of Theorem 1: From (2.7), (2.14), (2.15) the following equations are obtained

$$\begin{bmatrix} \mathbf{\ddot{x}}_{1}(\mathbf{t};\varepsilon) \\ \varepsilon \mathbf{\ddot{x}}_{2}(\mathbf{t};\varepsilon) \\ \mathbf{\ddot{x}}_{1}(\mathbf{t};\varepsilon) \\ \varepsilon \mathbf{\ddot{x}}_{2}(\mathbf{t};\varepsilon) \end{bmatrix} = \begin{bmatrix} A_{11d}(\varepsilon) & 0 & \tilde{A}_{13}(\varepsilon) & A_{12}(\varepsilon) \\ A_{21d}(\varepsilon) & A_{22d}(\varepsilon) & 0 & 0 \\ 0 & 0 & A_{11}(\varepsilon) & A_{12}(\varepsilon) \\ 0 & 0 & A_{21}(\varepsilon) & A_{22}(\varepsilon) \end{bmatrix} \begin{bmatrix} \tilde{x}_{1}(\mathbf{t};\varepsilon) \\ \tilde{x}_{2}(\mathbf{t};\varepsilon) \\ \mathbf{x}_{1}(\mathbf{t};\varepsilon) \\ \mathbf{x}_{2}(\mathbf{t};\varepsilon) \end{bmatrix} + \\ \begin{bmatrix} \tilde{L}_{1}(\varepsilon) \\ 0 \\ L_{1}(\varepsilon) \\ L_{2}(\varepsilon) \end{bmatrix} \xi(t)$$
(A.1)

where

$$\widetilde{A}_{13}(\varepsilon) \stackrel{\Delta}{=} A_{12}(\varepsilon) A_{22}^{-1}(\varepsilon) A_{21}(\varepsilon)$$

$$\widetilde{L}_{1}(\varepsilon) \stackrel{\Delta}{=} A_{12}(\varepsilon) A_{22}^{-1}(\varepsilon) L_{2}(\varepsilon)$$
(A.2)
(A.3)

Define

$$\begin{bmatrix} \Sigma_{11}(t;\epsilon) & \Sigma_{12}(t;\epsilon) & \Sigma_{13}(t;\epsilon) & \Sigma_{14}(t;\epsilon) \\ \Sigma_{21}(t;\epsilon) & \Sigma_{22}(t;\epsilon) & \Sigma_{23}(t;\epsilon) & \Sigma_{24}(t;\epsilon) \\ \Sigma_{31}(t;\epsilon) & \Sigma_{32}(t;\epsilon) & \Sigma_{33}(t;\epsilon) & \Sigma_{34}(t;\epsilon) \\ \Sigma_{41}(t;\epsilon) & \Sigma_{42}(t;\epsilon) & \Sigma_{43}(t;\epsilon) & \Sigma_{44}(t;\epsilon) \end{bmatrix} =$$

$$= E \left\{ \begin{bmatrix} \tilde{x}_{1}(t;\varepsilon) \\ \tilde{x}_{2}(t;\varepsilon) \\ x_{1}(t;\varepsilon) \\ x_{2}(t;\varepsilon) \end{bmatrix} \begin{bmatrix} \tilde{x}_{1}^{T}(t;\varepsilon)\tilde{x}_{2}^{T}(t;\varepsilon)x_{1}^{T}(t;\varepsilon)x_{2}^{T}(t;\varepsilon) \end{bmatrix} \right\}$$
(A.4)

and let

$$\widetilde{\Sigma}_{44}(t;\varepsilon) = \varepsilon \Sigma_{44}(t;\varepsilon)$$
(A.5)

$$\dot{\Sigma}_{11} = A_{11d}(\varepsilon)\Sigma_{11} + \widetilde{A}_{13}(\varepsilon)\Sigma_{31} + A_{12}(\varepsilon)\Sigma_{41} + \Sigma_{11}A_{11d}(\varepsilon) + \Sigma_{13}\widetilde{A}_{13}^{T}(\varepsilon) + + \Sigma_{14}A_{12}^{T}(\varepsilon) + \widetilde{L}_{1}(\varepsilon)\widetilde{L}_{1}^{T}(\varepsilon)$$
(A.6)

$$\dot{\Sigma}_{13} = A_{11d}(\varepsilon)\Sigma_{13} + \tilde{A}_{13}(\varepsilon)\Sigma_{33} + A_{12}(\varepsilon)\Sigma_{43} + \Sigma_{13}A_{11}^{T}(\varepsilon) + \Sigma_{14}A_{12}^{T}(\varepsilon) + \tilde{L}_{14}A_{12}^{T}(\varepsilon) + \tilde{L}_{14}(\varepsilon)\Xi L_{1}^{T}(\varepsilon)$$
(A.7)

$$\tilde{\Sigma}_{33} = A_{11}(\varepsilon)\Sigma_{33} + A_{12}(\varepsilon)\Sigma_{43} + \Sigma_{33}A_{11}^{T}(\varepsilon) + \Sigma_{34}A_{12}^{T}(\varepsilon) + L_{1}(\varepsilon)\Xi L_{1}^{T}(\varepsilon)$$

$$(A.8)$$

$$\varepsilon \tilde{\Sigma}_{12} = \varepsilon A_{11d}(\varepsilon)\Sigma_{12} + \varepsilon \tilde{A}_{13}(\varepsilon)\Sigma_{32} + \varepsilon A_{12}(\varepsilon)\Sigma_{42} + \Sigma_{11}A_{21d}^{T}(\varepsilon) + \Sigma_{12}A_{22d}^{T}(\varepsilon)$$

$$(A.9)$$

$$(A.10)$$

$$(A$$

$$\varepsilon \Sigma_{22} = A_{21d}(\varepsilon)\Sigma_{12} + A_{22d}(\varepsilon)\Sigma_{22} + \Sigma_{21}A_{21d}^{T}(\varepsilon) + \Sigma_{22}A_{22d}^{T}(\varepsilon)$$
(A.11)

$$\varepsilon \overset{\bullet}{\Sigma}_{23} = A_{21d}(\varepsilon) \Sigma_{13} + A_{22d}(\varepsilon) \Sigma_{23} + \varepsilon \Sigma_{23} A_{11}^{T} + \varepsilon \Sigma_{24} A_{12}^{T}$$
(A.12)

$$\varepsilon \sum_{24}^{\bullet} = A_{21d}(\varepsilon) \sum_{14}^{\bullet} + A_{22d}(\varepsilon) \sum_{24}^{\bullet} + \sum_{23}^{\bullet} A_{24}^{T}(\varepsilon) + \sum_{24}^{\bullet} A_{22}^{T}(\varepsilon)$$
(A.13)

$$\varepsilon \tilde{\Sigma}_{34} = \varepsilon A_{11}(\varepsilon) \Sigma_{34} + A_{12}(\varepsilon) \tilde{\Sigma}_{44} + \Sigma_{33} A_{21}^{T}(\varepsilon) + \Sigma_{34} A_{22}^{T}(\varepsilon) + L_{1}(\varepsilon) \Xi L_{2}^{T}(\varepsilon)$$
(A.14)

$$\varepsilon \tilde{\Sigma}_{44} = \varepsilon A_{21}(\varepsilon) \Sigma_{34} + A_{22}(\varepsilon) \tilde{\Sigma}_{44} + \varepsilon \Sigma_{43} A_{21}^{T}(\varepsilon) + \tilde{\Sigma}_{44} A_{22}^{T}(\varepsilon) + L_{2}(\varepsilon) \Xi L_{2}^{T}(\varepsilon)$$
(A.15)

To apply the theorem of Hoppensteadt to (A.6) - (A.15), conditions $H_i - H_{viii}$ (The conditions are conveniently listed in [18]) must be verified. Conditions H_{ii} , H_{iv} and H_v are satisfied since (A.6) - (A.15) are linear time-invariant differential equations with coefficients continuous in ε .

Condition H_{iii} is verified by noting that (A.9) - (A.15) have a unique solution, for $\varepsilon = 0$ when Σ_{11} , Σ_{13} , and Σ_{33} are given, as follows. Since $A_{22}(0)$, $A_{22d}(0)$ are stable, $\tilde{\Sigma}_{44}$, Σ_{12} , and Σ_{23} are uniquely determined by

$$0 = A_{22}(0)\tilde{\Sigma}_{44} + \tilde{\Sigma}_{44}A_{22}^{T}(0) + L_{2}(0)\Xi L_{2}^{T}(0)$$
 (A.16)

$$0 = \Sigma_{11} A_{21d}^{T}(0) + \Sigma_{12} A_{22d}^{T}(0)$$
 (A.17)

$$0 = A_{21d}(0)\Sigma_{13} + A_{22d}(0)\Sigma_{23}$$
(A.18)

Therefore, Σ_{14} , Σ_{22} , and Σ_{34} are the unique solutions of

$$0 = A_{12}(0)\tilde{\Sigma}_{44} + \Sigma_{13}A_{21}^{T}(0) + \Sigma_{14}A_{22}^{T}(0) + \tilde{L}_{1}(0)\Xi L_{2}^{T}(0)$$
(A.19)

$$0 = A_{21d}(0) \Sigma_{12} + A_{22d}(0) \Sigma_{22} + \Sigma_{21} A_{21d}^{T}(0) + \Sigma_{22} A_{22d}^{T}(0)$$
(A.20)

$$0 = A_{12}(0)\tilde{\Sigma}_{44} + \Sigma_{33}A_{21}^{T}(0) + \Sigma_{34}A_{22}^{T}(0) + L_{1}(0)\Xi L_{2}^{T}(0)$$
 (A.21)

Finally, Σ_{24} is uniquely determined by

$$0 = A_{21d}(0)\Sigma_{14} + A_{22d}(0)\Sigma_{24} + \Sigma_{23}A_{21}^{T}(0) + \Sigma_{24}A_{22}^{T}(0)$$
(A.22)

To verify H_{vi} , it must be shown that the solution defined by (A.16) - (A.22) is an asymptotically stable equilibrium of the following boundary layer system associated with (A.6) - (A.15).

$$\frac{d}{d\tau} \Sigma_{12} = \Sigma_{11} A_{21d}^{T}(0) + \Sigma_{12} A_{22d}^{T}(0)$$
(A.23)

$$\frac{d}{d\tau} \Sigma_{14} = A_{12}(0) \widetilde{\Sigma}_{44} + \Sigma_{13} A_{21}^{T}(0) + \Sigma_{14} A_{22}^{T}(0) + \widetilde{L}_{1}(0) \Xi L_{2}^{T}(0)$$
(A.24)

$$\frac{d}{d\tau} \Sigma_{22} = A_{21d}(0) \Sigma_{12} + A_{22d}(0) \Sigma_{22} + \Sigma_{21} A_{21d}^{T}(0) + \Sigma_{22} A_{22d}^{T}(0)$$
(A.25)

$$\frac{d}{d\tau} \Sigma_{23} = A_{21d}^{(0)\Sigma}_{13} + A_{22d}^{(0)\Sigma}_{23}$$
(A.26)

$$\frac{d}{d\tau} \Sigma_{24} = A_{21d}(0) \Sigma_{14} + A_{22d}(0) \Sigma_{24} + \Sigma_{23} A_{21}^{T}(0) + \Sigma_{24} A_{22}^{T}(0)$$
(A.27)

$$\frac{d}{d\tau} \Sigma_{34} = A_{12}(0) \widetilde{\Sigma}_{44} + \Sigma_{33} A_{21}^{T}(0) + \Sigma_{34} A_{22}^{T}(0) + L_{1}(0) \Xi L_{2}^{T}(0)$$
(A.28)

$$\frac{d}{d\tau} \tilde{\Sigma}_{44} = A_{22}(0)\tilde{\Sigma}_{44} + \Sigma_{44}A_{22}^{T}(0) + L_{2}(0)EL_{2}^{T}(0)$$
(A.29)

The stability of (A.23) - (A.29) is readily verified using the stability of $A_{22}(0)$, $A_{22d}(0)$ and working through the equations in the order indicated in (A.16)-(A.22).

The final conditions deal with the degenerate system of (A.6) - (A.15). Putting $\varepsilon = 0$ in (A.6) - (A.15), and after some algebra using (A.16) - (A.19), (A.21), the following equations are obtained:

$$\dot{\Sigma}_{33} = (A_{11}(0) - A_{12}(0) A_{22}^{-1}(0) A_{21}(0)) \Sigma_{33} + \Sigma_{33}(A_{11}(0) - A_{12}(0) A_{22}^{-1}(0) A_{21}(0))^{T} + L_{1}(0) \Xi_{1}L_{1}^{T}(0)$$
(A.30)

$$\dot{\Sigma}_{31} = (A_{11}(0) - A_{12}(0) A_{22}(0) A_{21}(0)) \Sigma_{31} + \Sigma_{31}(A_{11}(0) - A_{12}(0) A_{22}(0) A_{21}(0))^{T}$$

$$(A. 31)$$

$$\dot{\Sigma}_{11} = (A_{11}(0) - A_{12}(0) A_{22}^{-1}(0) A_{21}(0)) \Sigma_{11} + \Sigma_{11}(A_{11}(0) - A_{12}(0) A_{22}^{-1}(0) A_{21}(0))^{T}$$

$$(A. 32)$$

Since $A_{11}(0) - A_{12}(0)A_{22}(0)A_{21}(0)$ is stable, H_i and H_vi are satisfied. Thus by Hoppensteadt's Theorem, $\lim_{\epsilon \to 0} \Sigma_{11}(t;\epsilon)$ and $\lim_{\epsilon \to 0} \Sigma_{22}(t;\epsilon)$ are $\epsilon \to 0$

equal to the solutions of (A.32) and (A.20). Since

$$\tilde{\mathbf{x}}_{1}(0;\varepsilon) = \mathbf{x}_{1}(0) - \mathbf{x}_{1D}(0) = 0$$
 (A.33)

by choice of the initial conditions of the stochastic degenerate system, it follows that the initial conditions of (A.32) are

$$\Sigma_{11}(0; 0) = 0 \tag{A.34}$$

Thus


$$\lim_{\varepsilon \to 0} \Sigma_{11}(t;\varepsilon) \equiv 0$$
 (A.35)

(A.36)

From (A.35), (A.17) and (A.20),

$$\lim_{\varepsilon \to 0} \Sigma_{22}(t;\varepsilon) \equiv 0$$

Note that (A.30) is valid at t = 0 by choice of initial conditions. Equations (A.34) and (A.36) are the desired result.









Figure 2 Aircraft Longitudinal Variables



-1

$$A = \begin{bmatrix} -1.357 \times 10^{-2} & -3.220 \times 10^{1} & -4.630 \times 10^{1} & 0.000 \\ 1.200 \times 10^{-4} & 0.000 & 1.214 & 0.000 \\ -1.212 \times 10^{-4} & 0.000 & -1.214 & 1.000 \\ 5.700 \times 10^{-4} & 0.000 & -9.010 & -6.696 \times 10^{-1} \end{bmatrix}$$
$$B = \begin{bmatrix} -4.330 \times 10^{-1} \\ 1.394 \times 10^{-1} \\ -1.394 \times 10^{-1} \\ -1.577 \times 10^{-1} \end{bmatrix} \quad L = \begin{bmatrix} -4.630 \times 10^{1} \\ 1.214 \\ -1.214 \\ -9.010 \end{bmatrix} \quad E = [3.150 \times 10^{-4}]$$
$$C = \begin{bmatrix} 0.0 & 0.0 & 0.0 & 1.0 \\ 1.0 & 0.0 & 0.0 & 0.0 \end{bmatrix} \quad \Theta = \begin{bmatrix} 6.859 \times 10^{-4} & 0.000 \\ 0.000 & 4.000 \times 10^{1} \end{bmatrix}$$

Table 1. System Matrices

.

eig	envalue	94	± j.2.98	0075	± j.076
components	v	1.3	± j.4.7	-4.3×10 ²	∓ j1.1×10 ²
	γ	-5×10 ⁻⁴	∓j. 13	15	± j1.0
eigenvector	α	.33	± j.10	02	∓ j.005
	q	21	± j1.0	08	∓j.02

Table 2. Open Loop Eigenvalues and Eigenvectors.

Eigenvalues

		two time scale	optimal	open loop
$\sqrt{\frac{1}{\sqrt{2}}}$ $\sqrt{\frac{1}{\sqrt{2}}}$		-3.1 ± j2.3	-2.9 ± 2.0	94 ± j2.98
$\sqrt{\frac{1}{q^2}}$ $\sqrt{\frac{1}{q^2}}$ $\sqrt{\frac{1}{(v-v)^2}}$	RMS Deviations	 18 ± j.16	20 ± j.20	 075 ± j0.76
$\sqrt{(\gamma-\hat{\gamma})^2}$		-3.8, -2.6	-3.8, -2.6	
$\sqrt{(\alpha-\hat{\alpha})^2}$ $\sqrt{(q-\hat{q})^2}$		1 ±].11	U9 ± J.IV	20 + - 10

Table 3. Performance Comparison

optimal

ω. 3

.0018

.0026

.0065

2.6

.0013

.0021

.0056

two time scale

3.4

.0018

.0026

.0065

2.6

.0015

.0021

open loop

8.8

.0024

.0031

.0082

ي. .

86

19

.0056